



LEMMY  
SHINING DESIGN

**MIRAGE**<sup>®</sup>  
Porcelain.Design.Sustainability

## Facciamo la nostra parte per vincere la sfida più importante.

Mirage® ha intrapreso da anni un percorso volto alla riduzione dell' impatto ambientale e alla sicurezza dei propri prodotti.

Ma questo non basta, la salvaguardia del pianeta e delle persone richiede l'impegno di tutti.

È nelle scelte quotidiane, sia personali che di business, che ognuno di noi può adottare atteggiamenti consapevoli per contribuire alla propria salute ed alla tutela dell'ambiente.

## Noi ci siamo.... E tu? #IAMREADY

Scopri di più su  
[mirage.it](http://mirage.it)

### We are doing our part to win the toughest challenge facing us.

For many years Mirage® has directed its efforts into reducing its impact on the environment and into product safety.

But it is not enough; protecting the planet and people requires everyone's dedication.

It is in the everyday choices, both personal and business, that each of us can adopt an aware behaviour to contribute to our own health and protection of the environment.

### We are ready... Are you? #IAMREADY

Find out more  
[mirage.it](http://mirage.it)



### SICUREZZA | SAFETY

Le superfici Mirage® sono inospitali a funghi, muffe e batteri e soprattutto prive di sostanze pericolose per la salute.

**NO PIOMBO**  
**NO FORMALDEIDE**  
**NO SILICATO DI ZIRCONIO**  
**NO BENZILBUTILFTALATO**  
**NO VOC**  
**NO RADON**

Mirage® products are resistant to fungi, moulds and bacteria and most importantly free from substances hazardous to health.

**NO LEAD**  
**NO FORMALDEHYDE**  
**NO ZIRCONIUM SILICATE**  
**NO BUTYL BENZYL PHTHALATE**  
**NO COV**  
**NO RADON**

### CARTA | PAPER

## 1592 tons

di carta riciclata solo nell'ultimo anno.  
Come contribuire a salvare un bosco di 4000 alberi.

of paper recycled in the last year.  
Equivalent to saving a forest of 4,000 trees.



### PLASTICA | PLASTIC

## 386 tons

di plastica riciclata nell'ultimo anno:  
un beneficio paragonabile all'eliminazione di circa 350 automobili dalla circolazione.

of plastic recycled in the last year:  
a benefit comparable to the elimination of around 350 cars from the roads.



### ACQUA | WATER

## 10,5%

Riduzione del consumo idrico negli ultimi 3 anni.

Reduction in water consumption in the last 3 years.

## 100%

Riutilizzo delle acque reflue nel ciclo produttivo.

Reuse of the waste water in the production cycle.



### RIFIUTI | WASTE

## 98,6%

Scarti crudi riciclati all'interno del ciclo produttivo.


Of raw waste recycled within the production cycle.

## -15,9%

Riduzione di rifiuti negli ultimi 2 anni.

Reduction of waste in the last two years.

**SIZE**



**THICKNESSES**



**FINISH**

SPAZZOLATA



**LY01  
PALLADIUM**



**LY02  
NIMBUS**



**LY03  
EXCALIBUR**



**LY09  
KING**



**LY04  
VENOM**



**LY05  
AFTERGLOW**



**LY08  
PUMPKIN**



**LY07  
INDIO**



**LY06  
VIRIDIUM**




FRESH BLUE



INDIO

LY07 SP 600x1200 / 24"x48"



WALL . INDIO LY07 SP 600x1200 / 24"x48"

FLOOR . AFTERGLOW LY05 SP 150x600 / 6"x24"



**INTENSE COTTO**



**PUMPKIN**

**LY08 SP 600x1200 / 24"x48"**



**WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"**



WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"  
FLOOR . NIMBUS LY02 SP 600x600 / 24"x24"  
SHOWER . NIMBUS LY02 SP 1200x2780 / 48"x110"



CLEAR AND BRIGHT



PALLADIUM

LY01 SP 1200x2780 / 48"x110"



FLOOR . PALLADIUM LY01 SP 600x1200 / 24"x48"

TOP TABLE . JEWELS GI9IA WHITE JW13 LUC





WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"  
FLOOR . PALLADIUM LY01 SP 600x600 / 24"x24"  
BENCH . JEWELS RAYMI JW16 LUC





WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"  
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"  
COUNTER . VENOM LY04 SP 1200x2780 / 48"x110"





LIGHT GREY



NIMBUS

LY02 SP 1200x2780 / 48"x110"



WALL . NIMBUS LY02 SP 1200x2780 / 48"x110"





FLOOR .  
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .  
JEWELS MOONLESS JW17 LUC  
162x3240 / 63<sup>3</sup>/<sub>4</sub>"x127<sup>1</sup>/<sub>2</sub>"



FLOOR .  
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .  
JEWELS MOONLESS JW17 LUC  
162x3240 / 63<sup>3</sup>/<sub>4</sub>"x127<sup>1</sup>/<sub>2</sub>"








WALL . NIMBUS LY02 CRYSTAL SP 1200x2780 / 48"x110"

FLOOR . BLUES EGØ VINTAGE BL 04 NAT NØT RECT 300X300 / 12"x12"





**SILVER GREY**



**EXCALIBUR**

**LY03 SP 1200x2780 / 48"x110"**



**FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"**



WALL . EXCALIBUR LY03 SP 1200x2780 / 48"x110"



WALL . NORR GRÅ RR02 NAT 1200x2780 / 48"x110"  
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"  
BENCH . NORR GRÅ RR02 NAT





WALL . NIMBUS LY02 SP 150x600 / 6"x24"  
FLOOR . EXCALIBUR LY03 SP 600x600 / 24"x24"





DEEP GREY



KING

LY09 SP 1200x1200 / 48"x48"



WALL . KING LY 09 SP 1200X2780 / 48"X110"

BENCH . JEWELS GIOIA WHITE JW 13 LOC 1200X2780 / 48"X110"



WALL . KING LY 09 SP 1200X2780 / 48"X110"  
FLOOR . JÜRUPA CAMP JP 04 200X1200 / 8"X48"



WALL . KING LY 09 150X600 / 6"X24"



FLOOR . KING LY 09 SP 800X800 / 31 1/2"X 31 1/2"  
COUNTERTOP . KING LY 09 SP 1200X2780 / 48"X110"





VELVET DARK



VENOM

LY04 SP 1200x2780 / 48"x110"



WALL . VENOM LY04 SP 1200x2780 / 48"x110"

FLOOR . JURUPA WILD JP05 NAT 200x1200 / 8"x48"





WALL . ALLORE POPPY 1+2 1200x2780 / 48"x110"  
FLOOR . VENOM LY04 SP 600x600 / 24"x24"  
BENCH. VIRIDIUM LY06 - INDIO LY07 - EXCALIBUR LY03





LIGHT GOLD



AFTERGLOW

LY05 SP 1200x2780 / 48"x110"



WALL . AFTERGLOW LY05 SP PLUME 300x300 / 12"x12"

VANITY TOP . JEWELS GIOIA WHITE JW13 LUC





WALL . AFTERGLOW LY05 SP 1200x2780 / 48"x110"







WALL .  
AFTERGLOW LY05 SP 600x1200 / 24"x48"

FLOOR .  
JURUPA MASTER JP03 NAT 200x1200 / 8"x48"

BENCH .  
VENOM LY04 SP



**SOFT GREEN**



**VIRIDIUM**

**LY06 SP 600x1200 / 24"x48"**



**FLOOR . VIRIDIUM LY06 SP 600x1200 / 24"x48"**

**TABLE . NIMBUS LY02 SP 1200x2780 / 48"x110"**





WALL .  
NIMBUS LY02 SP 1200x2780 / 48"x110"

FLOOR .  
VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE .  
NIMBUS LY02 SP

COUNTER .  
JURUPA CAMP JP04 NAT 200x1200 / 8"x48"



**PALLADIUM**  
**LY 01**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 01 Bianco

MAPEI 111 Grigio Argento

LATICRETE 44 Bright White



**NIMBUS**  
**LY 0 2**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 02 Grigio Luce

MAPEI 110 Manhattan

LATICRETE 88 Silver Shadow





**EXCALIBUR**  
**LY03**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 04 Grigio Ferro

MAPEI 112 Grigio Medio

LATICRETE 89 Smoke Grey



**KING**  
**LY09**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 04 Grigio Ferro

MAPEI 113 Grigio Cemento

LATICRETE 78 Sterling Silver





**V E N O M**  
**LY 0 4**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 05 Antracite

MAPEI 114 Antracite

LATICRETE 45 Raven



**A F T E R G L O W**  
**LY 0 5**

**e 6 mm** 1200x2780 / 48"x110"  
SP SQ

**e 9 mm** 1200x1200 / 48"x48"  
SP SQ

600x1200 / 24"x48"  
SP SQ

800x800 / 31½"x 31½"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

**STUCCHI CONSIGLIATI**  
**RECOMMENDED GROUTS**

KERAKOLL 02 Grigio Luce

MAPEI 111 Grigio Argento

LATICRETE 18 Sauterne





# VIRIDIUM

LY06

9 mm

600x1200 / 24"x48"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

KERAKOLL 04 Grigio Ferro

MAPEI 113 Grigio Cemento

LATICRETE 24 Natural Grey



# INDIO

LY07

9 mm

600x1200 / 24"x48"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

## STUCCHI CONSIGLIATI RECOMMENDED GROUTS

KERAKOLL 05 Antracite

MAPEI 119 Grigio Londra

LATICRETE 53 Twilight Blue





**PUMPKIN**  
**LY 08**

9 mm

600x1200 / 24"x48"  
SP SQ

600x600 / 24"x24"  
SP SQ

300x600 / 12"x24"  
SP SQ


150x600 / 6"x24"  
SP SQ

STUCCHI CONSIGLIATI  
RECOMMENDED GROUTS

KERAKOLL 04 Grigio Ferro

MAPEI 113 Grigio Cemento

LATICRETE 30 Sand Beige



FLOOR . PUMPKIN LY 08 SP 600X600 / 24"X24"





**RIASSUNTIVO FORMATI E IMBALLI**  
**SUMMARY OF SIZES AND PACKAGING**  
**ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN**  
**RÉCAPITULATIF FORMATS ET EMBALLAGES**  
**SINÓPTICO DE FORMATOS Y EMBALAJES**  
**规格和包装概述**

150x600 6"x24"	300x600 12"x24"	600x600 24"x24"	800x800 31½"x31½"	600x1200 24"x48"	1200x1200 48"x48"	1200x2780 48"x110"	Crystal 1200x2780 48"x110"	Mosaico 36T* 300x300 12"x12"	Plume 300x300 12"x12"	Foliage 323x305 12¾"x12"	Battiscopa 72x600 2⅞"x24"	Gradino B Ang. 330x330 13⅛"x13⅛"	330x600 13⅛"x24"	330x1200 13⅛"x48"	300x600 12"x24"	300x1200 12"x48"	Gradino G 300x600 12"x24"

**FORMATI - SIZES** **DECORI - DECORS**

Spessore - Thickness	9 mm	9 mm	9 mm	9 mm	9 mm	9 mm	6 mm											
Superficie - Surface	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ	SP SQ		SP	SP	SP	SP	SP	SP	SP	SP	SP	SP
Palladium LY 01	AR5V	UR56	UP94	A	UQ03	UR56	US07	-	ADC6	ADF0	ADD4	ADB8	ACX0	ACX8	ACY6	ACZ4	ADA2	ADB0
Nimbus LY 02	AR5W	UR57	UP95	A	UQ04	UR57	US08	ADM1	ADC7	ADF1	ADD5	ADB9	ACX1	ACX9	ACY7	ACZ5	ADA3	ADB1
Excalibur LY 03	AR5X	UR58	UP96	A	UQ05	UR58	US09	-	ADC8	ADF2	ADD6	ADC0	ACX2	ACY0	ACY8	ACZ6	ADA4	ADB2
King LY 09	AFZ3	AFZ2	AFZ1	A	AFZ4	A	A	-	A	A	A	A	A	A	A	A	A	A
Venom LY 04	AR5Y	UR59	UP97	A	A	UR59	A	-	ADC9	ADF3	ADD7	ADC1	ACX3	ACY1	ACY9	ACZ7	ADA5	ADB3
Afterglow LY 05	AR5Z	UR60	UP98	A	UQ07	UR60	US11	-	ADD0	ADF4	ADD8	ADC2	ACX4	ACY2	ACZ0	ACZ8	ADA6	ADB4
Viridium LY 06	AR6A	UR61	UP99	-	UQ08	-	-	-	ADD1	ADF5	ADD9	ADC3	ACX5	ACY3	ACZ1	ACZ9	ADA7	ADB5
Indio LY 07	A	UR62	UQ01	-	UQ10	-	-	-	ADD2	ADF6	ADE0	ADC4	ACX6	ACY4	ACZ2	ADA0	ADA8	ADB6
Pumpkin LY 08	AR6B	UR63	UQ02	-	UQ11	-	-	-	ADD3	ADF7	ADE1	ADC5	ACX7	ACY5	ACZ3	ADA1	ADA9	ADB7

	Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто коробки	26,92	26,18	32,29	-	24,93	61,56	Please refer to: <b>mirage.it</b>	-	-	-	-	-	-	-	-	-	-
	Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	14	7	2	2	3	2		6	6	6	10	4	4	2	7	4	7
	mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	1,26	1,26	1,44	-	1,08	2,88		-	-	-	-	-	-	-	-	-	-
	Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробок в паллете	40	40	35	-	40	16		-	-	-	-	-	-	-	-	-	-
	mq./pallet	50,40	50,40	50,40	-	43,20	46,08		-	-	-	-	-	-	-	-	-	-

**A: Disponibile - Available**  
**\* Decoro su rete - Mesh-backed decoration**  
**SP: Spazzolata**





STANDARD EN 14411 - G

	<b>CARATTERISTICHE TECNICHE</b> TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	<b>NORMA</b> STANDARD NORM NORME NORMA ЗНАЧЕНИЯ 标准	<b>VALORI PRESCRITTI DALLE NORME EN 14411 - G</b> INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	<b>*VALORE MEDIO MIRAGE</b> MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值
	<b>CARATTERISTICHE DIMENSIONALI</b> - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			
	<b>LATI</b> SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側邊	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
	<b>SPESSORE</b> THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
	<b>RETTILINEITÀ DEGLI SPIGOLI</b> STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTIDUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
	<b>ORTOGONALITÀ</b> RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
	<b>PLANARITÀ</b> SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
	<b>ASSORBIMENTO D'ACQUA</b> WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
	<b>RESISTENZA ALLA FLESSIONE</b> FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTENCIA A LA FLEXIÓN - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm)  R ≥ 35 N/mm².	⊖ 6 mm: S ≥ 1100 N R ≥ 48 N/mm² ⊖ 9 mm: S ≥ 2.400 N R ≥ 48 N/mm²
	<b>RESISTENZA ALL'URTO</b> IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
	<b>RESISTENZA ALL'ABRASIONE</b> ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
	<b>COEFFICIENTE DI DILATAZIONE TERMICA LINEARE</b> COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6.6x10 <sup>-6</sup> °C <sup>-1</sup>
	<b>RESISTENZA AGLI SBALZI TERMICI</b> RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	<b>RESISTENZA AL GELO</b> FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
	<b>RESISTENZA ALL'ATTACCO CHIMICO</b> RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA
	<b>RESISTENZA ALLE MACCHIE</b> RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
	<b>CESSIONE DI PIOMBO E CADMIO</b> LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
				SP
		DM. 236/89 BCRA	> 0,40	0,40
		ASTM C1028	SCOF > 0,60	0,60
		ANSI A137.1	Wet DCOF > 0,42	0,42
		AS 4586:2013	-	P2
		BS7976 - Gom.45 - Slid.96	Dry -	-
		BS7976 - Gom.45 - Slid.96	Wet -	-
		BS7976 - Gom.TRL - Slid.55	Dry -	-
		BS7976 - Gom.TRL - Slid.55	Wet -	-
		DIN 51130	-	P9
		DIN 51097	-	-
		ENV 12633	≥ CL1	-
		BS 7976	≥ 36	-
	<b>SCIVOLOSITÀ</b> SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性			

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SPA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SPA  
Para los certificados específicos, contactar Mirage SPA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系Mirage Spa公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point
20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.
618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai
Building 7 - Ground Floor
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai